

VWU, VWBL and VWBS Portable Scales



QUALITY

Our ISO 9001:2008 registration ensures that all of our platforms are manufactured to strict quality standards and are fully QA tested and calibrated by our highly trained engineers.

EXPERIENCE

The quality and reliability of the VW range of industrial weighing scales is the result of over 25 years of design and manufacturing experience.

RELIABILITY

The VW range is built to last. We use high quality components and will not compromise on material and build quality. All of our loadcells are OIML approved and all platforms can be Class III verified as required.




- High quality construction - rigorously tested for accuracy and performance
- OIML approved stainless steel loadcells as standard - stainless steel models feature IP68 rated OIML approved loadcells
- Highly portable pallet weighing solutions that can be stored away - ideal for locations where space is at a premium
- Available in mild steel, stainless steel or galvanized with agricultural option
- Available in various standard sizes and capacities (see overleaf for models), with custom sizes and capacities available

The VW range of space saving portable weighing solutions offers accurate and reliable weighing performance without the need for permanent installations.

Ideal for factories or warehouses where space is limited or for use in agricultural environments where portability and easy of use is a must, the VWU, VWBL and VWBS models offer cost effective weighing solutions for all types of industry. The beams and U-Shape scale are light weight and can be easily moved or stored away when not in use.

All models are professionally finished with bead blasted stainless models and powder coated mild steel models.

The VWU U-Shape and VWBL low profile beams feature lifting handles for increased portability and the VWBS weighbeams feature bolt holes for fixing the beams to the floor. All models come with 5m of heavy duty cable as standard.



The VWBS stainless steel weighbeams are ideal for use in wet environments and come with Flintec stainless steel IP68 wash down



The VW-AG stainless steel agricultural weighbeams are IP68 rated and sealed at either end, making them ideal for demanding agricultural environments.

For further information visit:

www.awmltd.com

Low Profile Weighbeams (with lifting handle)

Model	Dimensions (mm)	Construction / Loadcells	Capacities
VWXtraBL	1200 L x 110 W x 75 H	Powder coated mild steel IP67 aluminium loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWBLS1200	1200 L x 110 W x 75 H	Stainless steel with IP68 stainless steel loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg

Standard Weighbeams (two piece construction with bolt holes)

Model	Dimensions (mm)	Construction / Loadcells	Capacities
VWXtraBS	1000 L x 125 W x 105 H	Powder coated mild steel IP67 aluminium loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWHDWB	1200 L x 120 W x 90 H	Painted mild steel IP67 stainless loadcells	600kg, 1000kg, 1500kg, 2000kg, 3000kg, 5000kg

U-Shape Scales (with lifting handle and nylon rollers)

Model	Dimensions (mm)	Construction / Loadcells	Capacities
VWU1008	1000 L x 800 W	Painted mild steel with IP67 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1010	1000 L x 1000 W	Painted mild steel with IP67 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1210	1250 L x 1000 W	Painted mild steel with IP67 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1212	1250 L x 1250 W	Painted mild steel with IP67 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1008S	1000 L x 800 W	Stainless Steel with IP68 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1010S	1000 L x 1000 W	Stainless Steel with IP68 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1210S	1250 L x 1000 W	Stainless Steel with IP68 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg
VWU1212S	1250 L x 1250 W	Stainless Steel with IP68 stainless loadcells	150kg, 300kg, 600kg, 1000kg, 1500kg, 2000kg

Options

- Galvanized finish
- Agricultural box beam model available
- Other capacities and dimensions available on request
- OIML Class III approval for trade use
- Calibration certificate to National Standards
- Additional handles or frames

CLASS III VERIFIED

Our ISO 9001:2008 registration includes our quality system approval for Self Verification, allowing us to test and certify scales for trade use here at our factory. All VW platforms use OIML approved loadcells and are designed for Class III approval.

CUSTOMER SUPPORT

We provide the highest level of before and after sales and service support. Our technical staff are highly experienced and knowledgeable in all aspects of the weighing industry and are ready to provide support and advice on any of our products.



AWM Limited

Units 17/18 Mercers Road, Chapel Pond Hill
Bury St Edmunds, Suffolk, IP32 7HX, UK
Tel: +44 (0)1284 701222
Fax: +44 (0)1284 703559
Email: sales@awmltd.com

Sold by:

CSG LP7610 WEIGHING INDICATOR



SPECIFICATIONS

High quality, low cost weighing indicator in a durable stainless steel case

Dimensions: 200 x 75 x 182 mm.

Large, easy to read LCD display

Charges in 6 to 8 hours

Zero, Tare, Gross, Net and Accumulation functions

Animal weighing mode

Counting mode

Weighs in Pounds or Kilograms

Capable of powering up to 6 x 350 ohm load cells

Display resolution 30,000 Internal count resolution 2,000,000

Supply voltage 100-250 volts A.C.

Internal rechargeable battery

Operating temperature -10 to 70 C.

Suitable for wall, table or column mounting